

AMENDMENTS TO THE CLAIMS

The following listing of claims will replace all prior versions and listings of claims in the application.

LISTING OF CLAIMS

1. (Currently Amended) A method of geo-casting a message to a plurality of recipients each having an address and a known geographic location, comprising:

reporting the current locations and addresses of the plurality of recipients to a geospatial database;

designating a geographic region to transmit the message to by reference to a man-made or natural structure within the geographic region;

determining the addresses of the recipients that are located within the geographic region by using the geospatial database to compare the current reported locations of the recipients with the reference to the structure; and

~~targeting~~transmitting the message to the addresses of each of the recipients having current locations within the geographic region.

2. (Previously Presented) The method according to claim 1, further comprising:

accessing a geospatial database and comparing the locations of the recipients and the designated geographic region.

3. (Previously Presented) The method according to claim 1, further comprising:

specifying a delivery method; and

transmitting the message according to the specified delivery method.

4. (Original) The method according to claim 1, wherein at least one of the recipients is mobile relative to the geographic region.

5. (Previously Presented) The method according to claim 1, further comprising:

operating a computer at an OSI application level.

6. (Original) The method according to claim 1, wherein the transmitting the message further comprises serially unicasting the message.

7. (Original) The method according to claim 6, wherein the transmitting the message further comprises requesting a reply, whereby recipients which do not receive the message may be identified.

8. (Previously Presented) The method according to claim 1, further comprising:

the address of at least one of the recipients being a wide area network address;

and

changing the wide area network address of the recipient to dynamically obtain a new wide area network address due to movement of the recipient.

9. (Previously Presented) The method according to claim 1, further comprising:

determining whether an event has occurred and, if the event has occurred, then transmitting the message being made in response to the event.

10. (Previously Presented) The method according to claim 9, wherein the event further comprises a reported location being across a border, the message being a border crossing warning, the geographic region designated within a predetermined distance from the border.

11. (Original) The method according to claim 1, wherein the message further comprises commercial information.

12. (Currently Amended) A telecommunication system comprising:

- a network;
- a transmitter connected to the network;
- a memory containing a geospatial database and in communication with the transmitter;
- a plurality of receivers including at least one mobile receiver, each of the plurality of receivers including a current address and a location in a geographic area and reporting the current address and the location to the geospatial database on a selected frequency; and

the transmitter ~~enabling~~enables reception of a message and a geographic destination designator ~~designating~~that designates a geographic destination for the message, and further ~~enabling access~~enables access to the geospatial database to identify the addresses of the receivers in the geographic destination ~~and targeting to~~ transmit the message to the identified receivers ~~at a~~ within that geographic destination based on the reported address for each said identified receiver.

13. (Previously Presented) The telecommunication system according to claim 12, further comprising:

the transmitter enabling reception of a delivery method designator associated with the message, and transmission of the message according to the designated delivery method.

14. (Previously Presented) The telecommunication system according to claim 12, further comprising:

the transmitter operating at an OSI application layer.

15. (Previously Presented) The telecommunication system according to claim 12, further comprising:

the transmitter enabling transmission of the message as a series of unicast messages to the identified receivers.

16. (Previously Presented) The telecommunication system according to claim 12, further comprising:

the message including a reply request, to enable any one of the receivers that does not respond to the reply request may to be identified.

17. (Previously Presented) The telecommunication system according to claim 12, further comprising:

the address of at least one of the receivers comprising a wide area network address which changes.

18. (Previously Presented) The telecommunication system according to claim 12, further comprising:

a processor for determining whether an event has occurred and, if the event has occurred, sending the message and geographic destination designator to the transmitter.

19. (Original) The telecommunication system according to claim 18, wherein the event further comprises a reported location being across a border, the border defining a boundary for the locations of the receivers, the message being a border crossing warning, and the geographic destination designator designating across the border.

20. (Original) The telecommunication system according to claim 12, wherein the message further comprises commercial information.

21. (Previously Presented) The telecommunication system according to claim 12, further comprising:

an intelligent agent operating within the network to access the geospatial database to identify the addresses of the receivers in the geographic destination.

22. (Currently Amended) A telecommunication system comprising:

a network;

a transmitter connected to the network;

a memory containing a geospatial database and in communication with the transmitter;

a plurality of receivers including at least one mobile receiver, each of the plurality of receivers including an address and a location within a geographic area and reporting the current address and the location of the mobile receiver to the geospatial database, at least one of the addresses being a wide area network address which changes; and

the transmitter enabling operation at an OSI application level to receive a message and a geographic destination designator ~~designating~~that designates a geographic destination for the message, the geographic destination defined by at least one natural or man-made structure and ~~enabling~~that enables access to the geospatial database to identify the addresses of the receivers currently reported to be in the geographic destination, to ~~target~~transmit the message to the identified receivers at

within the geographic destination based on their reported current address, and enabling that enables transmission of the message as a series of unicast messages to the identified receivers within the geographic destination.

23. (New) A method of geo-casting a message to a plurality of recipients each having an address and a known geographic location comprising:

reporting the current location and address of the recipients to a geospatial database;

transmitting a message to at least one selected recipient based on their geographic location by:

(1) designating a geographic region for receipt of the message by reference to a plurality of structures in the geographic region;

(2) determining the recipients that are within the geographic region by comparing the current reported locations of the recipients to the geographic region; and

(3) transmitting the message to the addresses of the recipients that are located within the geographic region.